

Ultra Slim Panel Convactor Heaters




Renewed PLX Series Panel Radiators Stylish, efficient and at the same time space-savvy, they are ideal for home heating and commercial use. Thanks to its fast-heating feature, it offers a great solution option for places that require heating at certain periods of the day, such as bedrooms, bathrooms, kitchens and other spaces.



Properties

- Convected heat for rapid warm-up
- Suitable for home and commercial use
- Optional timer or manual models
- Wet-proof system according to IPX4 standards for use in bathrooms and other wet areas
- Effective response to changes in room temperature thanks to high-precision adjustable thermostat*
- Frost protection setting**
- 7-day programming option for 2 kW and 3 kW models
- 24-hour programmable timer on PLX TI models
- Front air outlet grille for efficient heat circulation.
- Transparent and lockable control cover with dust protection
- Mounting bracket for quick installation and easy maintenance
- Remote control option in PLX, NC models



Model No.	Capacity	Width (A)	Altitude	Depth (B)	X	Color	Weight	Code
Thermostat Only Models								
PLX500	0.5 kW	450 mm	430 mm	108 mm	117 mm	Willow White	4.8 kg	60060501
PLX750	0.75 kW	620 mm	430 mm	108 mm	287 mm	Willow White	6.2 kg	60060751
PLX1000	1.0 kW	620 mm	430 mm	108 mm	287 mm	Willow White	6.2 kg	60061001
PLX1250	1.25 kW	690 mm	430 mm	108 mm	355 mm	Willow White	6.6 kg	60061251
PLX1500	1.5 kW	690 mm	430 mm	108 mm	355 mm	Willow White	6.6 kg	60061501
PLX2000	2.0 kW	860 mm	430 mm	108 mm	527 mm	Willow White	8.0 kg	60062001
PLX3000	3.0 kW	860 mm	430 mm	143 mm	527 mm	Willow White	10.0 kg	60063001
24 Hour Timer Models								
PLXSOOTI	0.5 kW	450 mm	430 mm	108 mm	117 mm	Willow White	4.8 kg	60060502
PLX750TI	0.75 kW	620 mm	430 mm	108 mm	287 mm	Willow White	6.2 kg	60060752
PLX1000TI	1.0 kW	620 mm	430 mm	108 mm	287 mm	Willow White	6.2 kg	60061002
PLX1250TI	1.25 kW	690 mm	430 mm	108 mm	355 mm	Willow White	6.6 kg	60061252
PLX1500TI	1.5 kW	690 mm	430 mm	108 mm	355 mm	Willow White	6.6 kg	60061502
PLX2000TI	2.0 kW	860 mm	430 mm	108 mm	527 mm	Willow White	8.0 kg	60062002
PLX3000TI	3.0 kW	860 mm	430 mm	143 mm	527 mm	Willow White	10.0 kg	60063002
PLXSOOWTI	0.5 kW	450 mm	430 mm	108 mm	117 mm	White	4.8 kg	60060503
PLX1000WTI	1.0 kW	620 mm	430 mm	108 mm	287 mm	White	6.2 kg	60061003
PLX1500WTI	2.0 kW	690 mm	430 mm	108 mm	355 mm	White	6.6 kg	60061503
PLX2000WTI	2.0 kW	860 mm	430 mm	108 mm	527 mm	White	8.0 kg	60062003

Ultra Slim



Model No.	Capacity	Width (A)	Altitude	Depth (B)	X	Color	Weight	Code
7-day Timer Model								
PLX2000TX	2.0 kW	860 mm	430 mm	108 mm	527 mm	Willow White	8.0 kg	60062004
PLX3000TX	3.0 kW	860 mm	430 mm	143 mm	527 mm	Willow White	10.0 kg	60063004
No Control Models								
PLXSOONC	0.5 kW	450 mm	430 mm	108 mm	117 mm	Willow White	4.8 kg	60060505
PLX750NC	0.75 kW	620 mm	430 mm	108 mm	287 mm	Willow White	6.2 kg	60060755
PLX1000NC	1.0 kW	620 mm	430 mm	108 mm	287 mm	Willow White	6.2 kg	60061005
PLX1250NC	1.25 kW	690 mm	430 mm	108 mm	355 mm	Willow White	6.6 kg	60061255
PLX1500NC	1.5 kW	690 mm	430 mm	108 mm	355 mm	Willow White	6.6 kg	60061505
PLX2000NC	2.0 kW	860 mm	430 mm	108 mm	527 mm	Willow White	8.0 kg	60062005

